



NEW!
Spring 2011

Baja STZ™

The Baja STZ offers excellent steering response, superior grip, and great all-weather traction making it the perfect choice for work, play, or sportsman applications. It's also got an aggressive tread design, variable density nylon over wraps, serrated tie bars and shoulder scallops, and strategic siping for improved stability, long wear, and traction in wet or icy conditions.

- Variable Density Nylon Overwraps for Improved Uniformity and Ride
- Strategically Placed and Shaped Siping to Promote Long Wear and Improve Traction on Wet or Icy Surfaces
- Serrated Tie Bars and Shoulder Scallops for Improved Tread Element Stability and Off-Road Traction
- Multi Draft Lug Angles Improve Self Cleaning, Increase Lug Stability, and Reduce Stone Retention
- LT Metric Sizes Offer Increased Towing Capability

Part #	Size	Size Equivalent	Side Wall	Serv. Desc.	Appx. Load Wt. Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
Original Equipment Replacement Sizes													
50611	235/70R16	29X9.50R16	OWL	106T	33 STD	2,094	44	6-8	7	9.5	7.4	29.0	13.5
50631	265/70R16	31X10.50R16	OWL	112T	37 STD	2,469	44	7-9	8	10.9	8.5	30.5	16.5
50641	265/75R16	32X10.50R16	OWL	116R	40 STD	2,756	44	7-9	7.5	10.5	8.0	31.7	14.5
50731	265/70R17	31X10.50R17	OWL	115T	40 STD	2,679	44	7-9	8	10.7	8.5	31.6	14
50831	265/60R18	30X10.50R18	OWL	110T	40 STD	2,337	44	7.5-9.5	8	10.5	9.1	30.5	13.5
50241	275/55R20	32X10.50R20	BLK	117T	45 XL	2,883	50	7.5-9.5	8.5	11.2	9.4	31.9	13
50251	275/60R20	33X10.50R20	BLK	115T	45 XL	2,679	44	8-9.5	8.5	12.7	9.1	33.1	15
LT Metric Sizes with Increase Load Capacity over Original Equipment Replacement													
50620	LT245/70R16	30X9.50R16	OWL	118R	44 E	2,910	80	6.5-7.5	7	9.8	7.5	29.5	16.5
50630	LT265/70R16	31X10.50R16	OWL	121R	49 E	3,195	80	7-8.5	8	10.7	8.2	30.6	14
50730	LT265/65R17	30X10.50R17	OWL	120R	52 E	3,085	80	7.5-9.5	8.0	10.7	8.4	30.6	16.5
50740	LT275/70R17	32X10.5R17	OWL	121R	49 E	3,195	80	7-8.5	8	11.1	8.7	32.2	16.5

ALL BAJA STZ SPECIFICATIONS ARE ESTIMATED

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS



Baja ATZ™ Plus

Built for highway and light off-road use, the ATZ Plus is a great choice for your work truck or daily driver. The ATZ Plus is mud and snow rated for all-season traction, gives you a smooth quiet ride and high mileage all while delivering legendary Mickey Thompson performance!

- Advanced Radial Construction for High Mileage and Smooth Ride
- High Load Ratings for Great Towing Capabilities
- Solid Center Rib for Enhanced Ride & Handling
- Spiral Nylon Over Wraps for Better Handling and Performance
- Outlined White Letters (most sizes)
- Siped Tread Lugs for Better Grip on All Surfaces

Part #	Size	Size Equivalent	Side Wall	Serv. Desc.	Appx. Wt.	Load Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
5150	30X9.50R15LT		OWL	104R	36	C	1,985	50	6.5-8.5	7.5	9.3	7.3	29.3	16.5
5151	31X10.50R15LT		OWL	109R	40	C	2,270	50	7-9	8.5	10.5	8.2	30.3	16.5
5152	32X11.50R15LT		OWL	113R	44	C	2,535	50	8-10	9	11.4	9.0	31.5	17
5153	33X12.50R15LT		OWL	108R	50	C	2,205	35	8.5-11	10	12.5	9.6	32.5	17
5160	LT225/75R16	28X9.50R16	BLK	115R	38	E	2,680	80	6-7	6	8.9	6.9	29.4	16.5
5161	LT245/75R16	31X9.50R16	OWL	120R	43	E	3,042	80	6.5-7.5	7	9.6	7.4	30.5	16.5
5164	LT235/85R16	32X9.50R16	OWL	120R	43	E	3,042	80	6-7	6.5	9.4	6.7	31.8	16.5
5162	LT265/75R16	32X10.50R16	OWL	123R	48	E	3,415	80	7-8	7.5	10.6	7.8	31.8	16.5
5163	LT285/75R16	33X11.50R16	OWL	122R	51	D	3,305	65	7.5-9	8	11.5	8.8	32.9	17
5165	LT305/70R16	33X12.50R16	OWL	118R	55	D	2,910	50	8-9.5	9	12.2	9.7	33.0	17
5166	LT315/75R16	35X12.50R16	OWL	121R	62	D	3,195	50	8-10	8.5	12.9	9.8	34.8	17
5170	LT245/70R17	31X9.50R17	OWL	119R	43	E	3,000	80	6.5-8	7	9.8	7.3	30.6	16.5
5171	LT265/70R17	32X10.50R17	OWL	121R	50	E	3,195	80	7-9	8	10.7	8.5	31.6	16.5
5174	LT285/70R17	33X11.50R17	OWL	121R	52	D	3,195	65	7.5-9	8.5	11.5	9.0	32.8	17
5173	33X12.50R17LT		OWL	114R	55	D	2,600	50	8.5-11	10	12.5	9.6	32.5	17
5175	LT315/70R17	35X12.50R17	OWL	121R	61	D	3,195	50	8.5-10	9.5	12.9	9.9	34.9	17
5180	LT275/65R18	32X11.50R18	OWL	123R	52	E	3,415	80	7.5-9.5	8	11.0	8.8	32.1	16

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS

Select Sizes Feature



Baja ATZ™

Unique “hybrid” design between an all-terrain and mud terrain with the grip you need for your weekend adventures and the smooth ride you want to get you down the road in comfort. Features an extra wide footprint and beefy tread blocks for great all around traction. Select sizes have PowerPly™ 3-ply sidewalls.

- Radial Construction for High Mileage and Smooth Ride
- High Load Ratings for Great Towing Capabilities
- Self Cleaning Tread With “Stone Kicker” Rock Ejectors
- Extra Wide Footprint for Better Traction and Even Wear
- SideBiters® for Added Traction & Sidewall Protection
- Siped Tread Lugs for Better Grip on All Surfaces
- Extra Tread Depth for Longer life

Part #	Size	Size Equivalent	Side Wall	Serv. Desc.	Appx. Load Wt. Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds	
5353	33X12.50R15LT		OWL	108Q	52	C	2,205	35	8.5-11	10	12.4	9.8	32.6	20
5362	LT265/75R16	32X10.50R16	OWL	123Q	48	E	3,415	80	7-8	7.5	10.5	8.1	31.8	18
5363	LT285/75R16	33X11.50R16	OWL	122N	57	D	3,305	65	7.5-9	8	11.3	9.2	32.8	20
5365	LT305/70R16	33X12.50R16	OWL	118Q	57	D	2,910	50	8-9.5	9	12.3	10.0	32.8	18
5366	LT315/75R16	35X12.50R16	OWL	121Q	65	D	3,195	50	8-10	8.5	12.9	10.0	34.6	20
5371	LT265/70R17	32X10.50R17	OWL	121Q	51	E	3,195	80	7-9	8	10.7	8.4	31.7	18
5374	LT285/70R17	33X11.50R17	OWL	121Q	55	D	3,195	65	7.5-9.5	8.5	11.4	9.1	32.8	18
5373	LT305/65R17	33X12.50R17	BLK	121N	59	E	3,195	65	8.5-11	9	12.2	9.8	32.6	20
5375	35X12.50R17LT		OWL	119Q	67	D	3,000	50	8.5-11	10	12.9	10.2	34.9	20
5388	LT275/70R18	33X11.50R18	OWL	125Q	56	E	3,640	80	7-9	8	11.0	8.8	33.3	18
5387 +	LT305/60R18	33X12.50R18	BLK	121Q	65	E	3,195	65	8.5-11	9	12.1	9.8	32.6	20
5181 +	LT325/60R18	33X13.50R18	BLK	124Q	76	E	3,525	65	9-12	9.5	13.3	10.8	33.2	19
5389 +	LT305/70R18	35X12.50R18	BLK	126Q	71	E	3,750	65	8-10	9	12.2	9.8	35.0	20
5183 +	LT325/65R18	35X13.50R18	BLK	127N	79	E	3,860	65	9-12	9.5	13.5	10.8	34.8	19
5185 +	37X13.50R18LT		BLK	124Q	90	D	3,525	50	8.5-11	11	13.9	10.7	36.8	20.5
5328 +	LT305/55R20	33X12.50R20	BLK	121Q	66	E	3,195	65	8.5-11	9.5	12.5	10.1	33.4	20
5120 +	LT325/50R20	33X13.50R20	BLK	120N	73	E	3,085	65	9-12	10	13.2	10.8	33.0	19
5329 +	35X12.50R20LT		BLK	121Q	71	E	3,195	65	8.5-11	10	12.5	9.8	34.5	20
5121 +	35X13.50R20LT		BLK	122Q	81	E	3,305	65	8.5-11	11	13.6	10.7	34.8	19
5122 +	36X15.50R20LT		BLK	124N	94	E	3,525	65	11-13	12	15.5	12.2	36.3	19
5123 +	38X15.50R20LT		BLK	124N	101	D	3,525	50	11-13	12	15.5	12.2	37.6	19

+ 3 Ply PowerPly Sidewall

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS

All Baja MTZ Radials Feature



Baja MTZ™



Extreme off-roaders will appreciate the great ride and handling that this mud tire has on the highway. The Baja MTZ has Mickey Thompson's Power Ply™ technology with a special angled third ply to give you high performance handling, better puncture resistance, and improved towing capability.

- Advanced Radial Construction for High Mileage & Smooth Ride
- Self Cleaning High-Void Tread Lugs for Traction in Mud & Snow
- Deep Shoulder Lugs Provide Aggressive Traction and Bold Looks
- Enhanced SideBiters® for Added Traction & Protection
- Siped Tread Lugs for Better Grip on Smooth Surfaces & Ice
- Outlined White Letters on Most Traditional Sizes

Part #	Size	Size Equivalent	Side Wall	Serv. Desc.	Appx. Wt.	Load Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
5251	31X10.50R15LT		OWL	109Q	47	C	2,270	50	7-9	8.5	10.9	8.3	30.8	19
5253	33X12.50R15LT		OWL	108Q	56	C	2,205	35	8.5-11	10	12.1	9.7	32.8	20.5
5254	35X12.50R15LT		OWL	113Q	66	C	2,535	35	8.5-11	10	12.2	10.0	34.8	19.5
5262	LT265/75R16	32X10.50R16	OWL	123Q	53	E	3,415	80	7-8	7.5	10.1	8.3	32.0	18.5
5263	LT285/75R16	33X11.50R16	OWL	122Q	56	D	3,305	65	7.5-9	8	11.3	8.9	33.1	18.5
5265	LT305/70R16	33X12.50R16	OWL	118Q	61	D	2,910	50	8-9.5	9	12.0	9.8	33.1	19
5266	LT315/75R16	35X12.50R16	OWL	121Q	67	D	3,195	50	8-10	8.5	11.9	9.8	34.5	19
5268	LT375/65R16	36X15.50R16	BLK	126N	89	D	3,750	50	10-13	11	15.0	12.2	35.4	23
5269	LT395/70R16	38X15.50R16	BLK	123Q	93	C	3,415	35	10-12	12	16.0	12.2	37.9	23
5271	LT265/70R17	32X10.50R17	OWL	121Q	53	E	3,195	80	7-9	8	10.8	8.3	31.9	18.5
5272	LT285/70R17	33X11.50R17	OWL	121Q	58	D	3,195	65	7.5-9.5	8.5	11.5	8.9	33.0	18
5273	33X12.50R17LT		OWL	114Q	63	D	2,600	50	8.5-11	10	12.5	9.8	32.8	20.5
5275	LT315/70R17	35X12.50R17	OWL	121Q	68	D	3,195	50	8.5-10	9.5	11.9	9.8	34.6	19
5277	37X12.50R17LT		BLK	124P	83	D	3,525	50	8.5-11	10	13.1	10.0	36.9	23
5288	LT275/70R18	33X11.50R18	BLK	125Q	62	E	3,640	80	7-9	8	11.0	8.8	33.4	20.5
5289	LT305/60R18	33X12.50R18	BLK	121Q	64	E	3,195	65	8.5-11	9	12.1	9.8	32.6	20.5
5281	LT325/60R18	33X13.50R18	BLK	124N	75	E	3,525	65	9-12	9.5	13.3	10.5	33.2	20.5
5290	LT305/70R18	35X12.50R18	OWL	126Q	71	E	3,750	65	8-10	9	12.2	9.8	35.1	20.5
5283	LT325/65R18	35X13.50R18	BLK	127N	78	E	3,860	65	9-12	9.5	13.5	10.6	34.8	20.5
5227	LT305/55R20	33X12.50R20	BLK	121Q	69	E	3,195	65	8.5-11	9.5	12.5	10.1	33.5	20.5
5226	35X12.50R20LT		BLK	121Q	70	E	3,195	65	8.5-11	10	12.5	9.8	34.7	20.5
5222	36X15.50R20LT		BLK	124N	92	E	3,525	65	11-13	12	15.3	11.9	36.4	21
5223	38X15.50R20LT		BLK	124N	99	D	3,525	50	11-13	12	15.7	12.2	37.9	23

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS

Select Sizes Feature



Baja Claw[®] Radial

The Baja Claw Radial is built for anything you can throw at it. Get extreme traction and rugged off-road performance with the Claw's 23 degree tread pattern, large SideBiters[®], and tough puncture resistant sidewalls.

- Advanced Radial Construction for High Mileage & Smooth Ride
- Self Cleaning High-Void Tread Lugs for Traction in Mud & Snow
- Circumferential Grooves for Hydroplane Resistance
- Aggressive SideBiters[®] for Added Traction & Protection
- Directional 23 Degree Tread Pattern and Extra Wide Footprint for Extreme Traction

Part #	Size	Size Equivalent	Side Wall	Serv. Desc.	Appx. Wt. Range	Load	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
5751	31X10.50R15LT		BLK	109Q	42	C	2,270	50	7-9	8.5	10.5	8.3	30.5	20
5754	33X12.50R15LT		BLK	108Q	52	C	2,205	35	8.5-11	10	12.8	9.9	32.5	20.5
5756	35X12.50R15LT		BLK	113Q	63	C	2,535	35	8.5-11	10	12.9	10.0	34.9	20.5
5763	LT285/75R16	33X11.50R16	BLK	122Q	54	D	3,305	65	7.5-9	8	11.3	8.9	33.1	16.5
5766	LT305/70R16	33X12.50R16	BLK	118N	57	D	2,910	50	8-9.5	9	11.9	9.8	32.9	18.5
5768	LT315/75R16	35X12.50R16	BLK	121Q	62	D	3,195	50	8-10	8.5	12.5	9.8	34.8	20
5769+	LT325/80R16	37X13.50R16	BLK	124Q	84	D	3,525	50	8.5-11	9	13.1	10.8	36.9	22.5
5774	33X12.50R17LT		BLK	114Q	57	D	2,600	50	8.5-11	10	12.5	10.0	32.5	20.5
5776	35X12.50R17LT		BLK	119Q	63	D	3,000	50	8.5-11	10	12.7	9.8	34.9	20.5
5722+	35X13.50R20LT		BLK	122N	76	E	3,305	65	8.5-11	11	13.7	10.5	34.7	21

+ 3 Ply PowerPly Sidewall

LIMITED TO QUANTITY ON HAND, WHILE SUPPLIES LAST.
TO BE REPLACED BY BAJA CLAW TTC RADIAL (SEE PAGE 22)

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS

All Sizes Feature



Baja Claw[®] TTC Radial

The Baja Claw TTC Radial is the ultimate extreme traction tire. Get rugged off-road performance with the Claw's 23 degree tread pattern, large directional SideBiter[®], and tough puncture resistant sidewalls. Go where you want with the confidence that the Baja Claw TTC will pull you through!

- Advanced Radial Construction
- "Mud-Scoops" for Self Cleaning Traction in Deep Mud & Snow
- Tread and sidewall Decoupling Grooves that Allow Tire to Flex and Conform to any Surface
- Directional SideBiter[®] for Added Traction & Protection
- Directional 23 Degree Tread Pattern and Extra Wide Footprint for Extreme Traction
- Strategically placed and shaped siping to promote long wear and improve traction on wet or icy surfaces
- PowerPly[™] 3-Ply Sidewall on All Sizes

Part #	Size	Size Equivalent	Side Wall	Serv. Desc.	Appx. Wt.	Load Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
5851	31X10.50R15LT		BLK	109Q	48	C	2,270	50	7-9	8.5	10.9	8.3	30.8	20.5
5854	33X12.50R15LT		BLK	108Q	60	C	2,205	35	8.5-11	10	12.1	9.7	32.7	20.5
5856	35X12.50R15LT		BLK	113Q	67	C	2,535	35	8.5-11	10	12.2	10.0	34.8	20.5
5863	LT285/75R16	33X11.50R16	BLK	122Q	59	D	3,305	65	7.5-9	8	11.3	8.9	33.1	19
5866	LT305/70R16	33X12.50R16	BLK	118N	63	D	2,910	50	8-9.5	9	12.0	9.8	33.1	19
5868	LT315/75R16	35X12.50R16	BLK	121Q	67	D	3,195	50	8-11	8.5	11.9	9.8	34.5	20.5
5874	LT305/65R17	33x12.50R17	BLK	121Q	64	E	3,195	65	8.5-11	9	12.3	9.8	32.7	20.5
5876	LT315/70R17LT	35x12.50R17	BLK	121Q	68	D	3,195	50	8.5-10	9.5	12.8	9.8	34.6	20.5

ALL BAJA CLAW TTC RADIAL SPECIFICATIONS ARE ESTIMATED

All New State-Of-The-Art Construction!!

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS



Baja Claw[®] TTC

The new 54-inch Baja Claw TTC is an ultra aggressive off-road performance tire with an advanced bias belted construction specially designed for rugged off-road. Although there is some resemblance, the Baja Claw TTC is a complete redesign of the original Baja Claw with many added features!

- First tire with directional SideBiters
- Deep shoulder lugs and integrated concave blades to disperse mud and maintain maximum performance
- Features Mickey Thompson's T5 compound making it extremely durable and cut resistant.
- De-coupling elements and multi-angle siping were added to provide maximum traction on smooth rock surfaces.

Part #	Size	Appx. Wt.	Load Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
2828	19.5/54-20LT	208	C	3,650	30	12-16	12	20.7	15.2	53.8	26

Baja Claw[®]

The Baja Claw is designed for extreme driving conditions including rock crawling, mud, snow, sand, dirt, and gravel. Extra large SideBiters[®] and a cut resistant sidewall make this the toughest tire for any modified truck or SUV. Available in 38.5" and 46" sizes.



Part #	Size	Appx. Wt.	Load Range	Max Load*	Max PSI	Appr. Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.	Tread Depth 32nds
2678	19.5/46-16LT	137	C	3,500	30	12-16	14	20.5	14.6	46.0	28
2698	19.5/46-20LT	149	C	3,500	30	12-16	14	18.8	14.6	46.0	28

* ALL SPECS ARE FOR SINGLE REAR TIRE APPLICATIONS

Off-Road Race Tires

Mickey Thompson Baja Pro™ and Mini Mag™ off-road tires are purpose built for desert racing. These tires feature a tough bias belted construction for superior strength and impact resistance. Many off-road racers have won their class on these time tested treads!

Baja Pro™



2548

2554

Mini Mag™



2551

Part #	Product Model	Size	Appx. Wt.	Approved Rims	Meas. Rim	Section Width	Tread Width	Overall Dia.
2548*	Baja Pro	30/7.0-15	28	3-6	4	6.9	4.9	30.0
2554*	Baja Pro	33/9.0-15	37	4-8	7	9.6	7.8	33.0
2551*	Mini Mag	E78-15	21	4-6	4	6.5	5.2	27.0

* Race only, not for street use.
Tubes Recommended.